



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/072,971	02/12/2002	John M. Harris	8818.001.00	3501

30827 7590 01/23/2006

MCKENNA LONG & ALDRIDGE LLP
1900 K STREET, NW
WASHINGTON, DC 20006

EXAMINER

VAN DOREN, BETH

ART UNIT	PAPER NUMBER
----------	--------------

3623

DATE MAILED: 01/23/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/072,971

Applicant(s)

HARRIS, JOHN M.

Examiner

Beth Van Doren

Art Unit

3623

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 November 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5 and 7-14 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5 and 7-14 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. The following is a final office action in response to communications received 11/10/05. Claims 1-5 and 7-11 have been amended and claim 6 has been canceled. Claims 1-5 and 7-14 are now pending in this application.

Response to Amendment

2. Applicant's cancellation of claim 6 and amendments to claims 3, 8, and 10 are sufficient to overcome the 35 USC § 112, second paragraph, rejections set forth in the previous office action. However, based on the amendments to claim 7, new 35 USC § 112, second paragraph, rejections have been set forth below.

3. Applicant's amendments to claims 1-2 are sufficient to overcome the claim objections set forth in the previous office action.

Response to Arguments

4. Applicant's arguments with respect to the 35 USC § 101 rejections set forth in the previous office action have been fully considered and are persuasive. The 35 USC § 101 rejections of claims 1-5 and 7-14 have been withdrawn. However, based on the amendments to claim 7, new 35 USC § 101 rejections have been set forth below.

5. Applicant's arguments with respect to claims 1-5 and 7-14 have been considered but are moot in view of the new grounds of rejection, as necessitated by amendment.

Claim Rejections - 35 USC § 101

6. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 7-14 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. Claims 7-14 do not produce a useful, concrete, and tangible result. Specifically, claim 7 recites "A computer software encoded with a program for forecasting unscheduled demand for a plurality of different components, the method comprising". Therefore, since the claimed computer software with a program is not embodied and executed on a computer readable medium, the claimed invention is not tangible. Therefore, claim 7 is deemed to be non-statutory. Claims 8-14 depend from claim 7 and contain the same deficiencies.

Claim Rejections - 35 USC § 112

7. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

8. Claims 7-14 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 7 recites "A computer software encoded with a program for forecasting unscheduled demand for a plurality of different components, the method comprising". The body of the claims contains steps, such as establishing statistical models. These steps of the body of the claim do not match the preamble, since steps are not computer software. Clarification is required. Examiner suggest language such as --A computer software program for forecasting unscheduled demand for a plurality of different components, the program on a computer readable medium, the program when executed performing the steps of:--.

Claims 8-14 depend from claim 7 and contain the same deficiencies.

Claim Rejections - 35 USC § 103

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. Claims 1-5, 7, and 10-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Erke et al. (U.S. 2003/0061126) in view of Wetzler (U.S. 6,738,748).

11. As per claim 1, Erke et al. teaches a method of determining a time interval at which unscheduled demand for the components is expected to occur, the method comprising:

establishing a plurality of statistical models for a probability of unscheduled component demand as a function of time and a failure rate of a component, wherein each of the plurality of statistical models includes a linear combination of variables pertaining to component use (See paragraphs 0017, 0041-4, 0076, 0078-9, wherein statistical models are established by the computer wherein the user enters data and the computer builds and implements the model. See paragraphs 0026, 0029-32, wherein the probability of unscheduled component demand is considered in the models using the parameters of time and a failure rate of a component);

for each component, collecting historical unscheduled component demand data (See paragraphs 0016-7, 0026, 0029, 0031 wherein data concerning fill rates for demand is collected);

for each component, using the collected historical unscheduled component demand data to select one statistical model from the plurality of statistical models (See paragraphs 0017,

Art Unit: 3623

0041-4, 0076, 0078-9, wherein statistical models are established by the computer wherein the user enters data and the computer builds and implements the model);

for each component, selecting an allowable probability of underestimating an average failure rate, α (See paragraphs 0026 and 0029-0031, wherein the probability of having to few parts in inventory to meet failure demand is set forth); and

using the selected statistical model to calculate inventory levels to meet unscheduled component demand (i.e. demand based on parts failure) (See figure 3, paragraphs 0017, 0026, 0041-3).

However, Erke et al. does not expressly disclose and Wetzer discloses calculating a time interval at which the unscheduled component demand is expected to occur (See column 2, lines 17-28, column 5, lines 33-47, column 7, lines 1-20, column 10, lines 1-30 and 40-column 11, lines 21 and 30-40, and column 14, lines 66-67, wherein the probability predictions of demand are used to determine and schedule for unplanned failure needs).

Both Erke et al. and Wetzer disclose monitoring the use of components to provide data concerning failure and wear-out of components to indicate demand for additional components. Erke et al. discloses computer based optimization which takes into account data such as request rates based on failure, time, parts procurement time performance metrics, fill rate probabilities, etc. to obtain needed and optimized component inventory levels. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have the optimization model output a time period when the unscheduled component demand is expected to occur in order to more efficiently optimize customer part procurement times by more accurately

Art Unit: 3623

identifying when stock of components is needed to meet demand. See paragraphs 0013-5, 0033, 0039, which discuss the importance of timely parts procurement.

12. As per claim 2, Erke et al. discloses using statistical models (See paragraphs 0017 and 0041-3) and selecting an allowable probability of underestimating an average failure rate, α (See paragraphs 0026 and 0029-0031, wherein the probability of having to few parts in inventory to meet failure demand is set forth).

However, Erke et al. does not expressly disclose and Wetzer teaches calculating a time interval when a probability of the next unscheduled component demand event equals the probability that the unscheduled component demand will not exceed the allowable probability ($1 - \alpha$) (See column 2, lines 17-28, column 10, lines 1-30 and 40-column 11, lines 21 and 30-40, and column 14, lines 45-67, wherein an allowable probability of failure is considered and accounted for in the system. If the probability of failure is α , then the allowable probability (the probability for which the component will not fail) is $1 - \alpha$ as per statistics).

Both Erke et al. and Wetzer disclose monitoring the use of components to provide data concerning failure and wear-out of components to indicate demand for additional components. Erke et al. discloses computer based optimization which takes into account data such as request rates based on failure, time, parts procurement time performance metrics, fill rate probabilities, etc. to obtain needed and optimized component inventory levels. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have the optimization model output a time period when the unscheduled component demand is expected to occur in order to more efficiently optimize customer part procurement times by more accurately

Art Unit: 3623

identifying when stock of components is needed to meet demand. See paragraphs 0013-5, 0033, 0039, which discuss the importance of timely parts procurement.

13. As per claim 3, Erke et al. teaches wherein each statistical model comprises a Poisson distribution having a parameter λ (See paragraphs 0076-9, which disclose a Poisson distribution with a parameter λ).

14. As per claim 4, Erke et al. teaches wherein selecting the statistical model comprises selecting an equation for λ (See paragraphs 0043-4, 0065, 0072-9).

15. As per claim 5, Erke et al. teaches established models using unscheduled demand to predict components needs and failure rates (See paragraphs 0017, 0041-4, 0076, 0078-9, wherein statistical models are established by the computer wherein the user enters data and the computer builds and implements the model. See paragraphs 0026, 0029-32, wherein the probability of unscheduled component demand is considered in the models using the parameters of time and a failure rate (i.e. fill rate based on need due to failure) of a component). However, neither Erke et al. nor Wetzer expressly discloses eliminating insignificant variables and variables that cause multicollinearity from each of the established models using historical unscheduled demand.

It is well known in statistics to detect and remove variables that are found to be insignificant or cause multicollinearity in models. The claims do not provide the specific models or variables and provide no specific process or reason for the removal of the variables, just that the removal occurs. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to remove variables that are insignificant and variables that cause multicollinearity in order to decrease the likelihood of errors in the model by removing the

Art Unit: 3623

variables that statistically cause these errors to occur. This benefit is well known in the art of statistics.

16. As per claim 7, Erke et al. teaches a method comprising:

establishing a plurality of statistical models for modeling unscheduled demand for the components as a function of a failure rate of each of the components, wherein each of the plurality of statistical models includes a linear combination of variables pertaining to component use (See paragraphs 0017, 0041-4, 0076, 0078-9, wherein statistical models are established by the computer wherein the user enters data and the computer builds and implements the model. See paragraphs 0026, 0029-32, wherein the probability of unscheduled component demand is considered in the models using the parameters of time and a failure rate of a component);

for each component, selecting one of the statistical models of the plurality of statistical models for a probability of unscheduled component demand (See paragraphs 0017, 0041-4, 0076, 0078-9, wherein statistical models are established by the computer wherein the user enters data and the computer builds and implements the model); and

using the selected statistical model to calculate inventory levels to meet unscheduled component demand (i.e. demand based on parts failure) (See figure 3, paragraphs 0017, 0026, 0041-3).

However, Erke et al. does not expressly disclose and Wetzer discloses determining a date at which a cumulative probability of unscheduled component demand reaches a predetermined threshold (See column 2, lines 17-28, column 5, lines 33-47, column 7, lines 1-20, column 10, line 35-column 11, line 21, which discusses threshold values for the probability of failure).

Both Erke et al. and Wetzter disclose monitoring the use of components to provide data concerning failure and wear-out of components to indicate demand for additional components. Erke et al. discloses computer based optimization which takes into account data such as request rates based on failure, time, parts procurement time performance metrics, fill rate probabilities, etc. to obtain needed and optimized component inventory levels. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have the optimization model determine when a cumulative probability of unscheduled component demand reaches a predetermined threshold, associated with a date, in order to more efficiently optimize customer part procurement times by more accurately identifying when stock of components is needed to meet demand. See paragraphs 0013-5, 0033, 0039, which discuss the importance of timely parts procurement.

17. Claims 10 and 11 recite equivalent limitations to claims 3 and 4, respectively, and are therefore rejected using the same art and rationale set forth above.

18. As per claim 12, Erke et al. teaches wherein the failure rate of the component is a function of operation (See paragraph 0026, which disclose wear out based on operation). However, Erke et al. does not expressly disclose that the failure rate of a component is the function of temperature.

Wetzter et al. teaches wherein the failure rate of the component is a function of the use of the component and environmental factors related to the component (See column 4, lines 45-65, column 5, lines 33-47, column 6, lines 55-67, column 8, lines 22-35, and column 10, lines 1-30, wherein the failure rate is based on usage). However, Wetzter does not expressly disclose temperature as usage.

Both Erke et al. and Wetzter disclose monitoring the use of components to provide data concerning failure and wear-out of components to indicate demand for additional components. Wetzter discloses monitoring the use of components to provide data such as longevity, environmental factors, use profiles, and operating limits, this data indicative of when maintenance and failure of the component will occur. It is old and well known in mechanics that parts have specific temperature ranges in which they are supposed to operate. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to consider the failure rate as a function of temperature and include this in the system of Erke et al. in order to more accurately plan for failure and maintenance, thus reducing the downtime of equipment that causes a reduction in revenue. See column 1, lines 50-65, column 11, lines 1-10, and column 14, lines 40-67, all of which equate better planning to money.

19. As per claims 13 and 14, Erke et al. teaches wherein the failure rate of the component is a function of operation (See paragraph 0026, which disclose wear out based on operation). However, Erke et al. does not expressly disclose and Wetzter teaches wherein the failure rate of the component is a function of hours of operation (See column 4, lines 45-65, column 5, lines 33-47, column 8, lines 22-35, and column 10, lines 1-30, wherein the failure rate is based on the hours a component operates) and wherein the failure rate of the component is a function of flight cycles (See column 4, lines 45-65, column 5, lines 33-47, column 6, lines 55-67, column 8, lines 22-35, and column 10, lines 1-30, wherein the failure rate is based on flight cycles).

Both Erke et al. and Wetzter disclose monitoring the use of components to provide data concerning failure and wear-out of components to indicate demand for additional components. Erke et al. discloses computer based optimization which takes into account data such as request

Art Unit: 3623

rates based on failure (i.e. wear out), time, parts procurement time performance metrics, fill rate probabilities, etc. to obtain needed and optimized component inventory levels. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have the optimization model include the failure of wear out based on the hours of operation of the component in order to more efficiently optimize customer part procurement times by more accurately identifying when stock of components is needed to meet demand. See paragraphs 0013-5, 0026, 0033, 0039, which discuss the importance of timely parts procurement.

20. Claims 8-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Erke et al. (U.S. 2003/0061126) and Wetzer (U.S. 6,738,748) in further view of Hillier et al. (Introduction to Operations Research).

21. As per claims 8 and 9, Erke et al. teaches established models using unscheduled demand to predict components needs and failure rates (See paragraphs 0017, 0041-4, 0076, 0078-9, wherein statistical models are established by the computer wherein the user enters data and the computer builds and implements the model. See paragraphs 0026, 0029-32, wherein the probability of unscheduled component demand is considered in the models using the parameters of time and a failure rate (i.e. fill rate based on need due to failure) of a component). However, Erke et al. does not expressly disclose using as N-Erlang distribution or selecting an equation for λ in the N-Erlang distribution.

Wetzer discloses modeling for failure rate and unplanned component demand (See column 4, lines 45-65, column 5, lines 33-47, column 6, line 50-column 7, line 20, column 10,

Art Unit: 3623

line 35-column 11, line 21, column 14, lines 49-67). However, Wetzter et al. does not expressly disclose using as N-Erlang distribution or selecting an equation for λ .

Hillier et al. discloses using an Erlang distribution to model the expected number of demand events occurring at a time in the future (See pages 698-700 and 916-7, which discuss using the Erlang distribution in association with queuing theory).

The Erlang (or N-Erlang) distribution is a well-known statistical distribution used in queuing theory to model the number of events expected to arrive or occur at a specific time period, as discussed by Hillier et al. Both Erke et al. and Wetzter disclose monitoring the use of components to provide data concerning failure and wear-out of components to indicate demand for additional components. Erke et al. specifically discloses using statistical models with linear variables. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use the claimed N-Erlang distribution as the model in order to more efficiently optimize customer part procurement times by more accurately identifying when stock of components is needed to meet demand. See paragraphs 0013-5, 0033, 0039, which discuss the importance of timely parts procurement.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO**

Art Unit: 3623

MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Dietrich et al. (U.S. 5,630,070) discloses demands for different parts and using models with linear combinations of variables.

Caveney et al. (U.S. 5,608,621) discloses controlling parts numbers in inventory and determining necessary replenishment quantities.

Huang et al. (U.S. 6,151,582) discloses estimating future requirements by estimating failure rates of parts, the relationship between activities and failure established in models.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Beth Van Doren whose telephone number is (571) 272-6737. The examiner can normally be reached on M-F, 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tariq Hafiz can be reached on (571) 272-6729. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3623

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

bvd

bvd

January 18, 2006

Susanna Diaz

**SUSANNA M. DIAZ
PRIMARY EXAMINER**

Au 3623